



Accessories

→ Your benefits

- One stop shopping for all your repair parts and tools

Contents Accessories

	page
Insert stiffener Economy	82
Insert stiffener with wedge	83
Uni/fleks® ring	84
Uni/fiks® ring with Uni/Fiksers	84
Multi/Fikser® set	85
Poly/Fikser® set	85
Uni/Fikser® set	85
Bolt set MULTI/JOINT® 3000 Plus - A2 quality	86
Bolt set MULTI/JOINT® 3000 Plus - A4 quality	86
Bolt set MULTI/JOINT® XL A2 quality	86
Rubber gasket for MULTI/JOINT® XL	87
RESICOAT® repair set	87
Molykote Copper paste (CU-7439)	87
Torque key wrench set	87
Adaptor set	87
Ratchet spanner	88
Wrench key / c.w. Ratchet	88

MULTI/JOINT® Accessories

Insert stiffener Economy



Model:

- Suitable for PE and PVC pipes
- Stainless steel A2 quality (AISI 304), optional A4 quality (AISI 316)
- For pipe sizes >d355 use an insert stiffener with wedge
- Other dimensions available on request

d x e [mm]	SDR	L [mm]	Code
50 x 4,6	11.0	100	709 026 203
50 x 2,9	17.6 / 17.0	100	709 026 206
63 x 5,8	11.0	100	709 026 211
63 x 3,6	17.6 / 17.0	100	709 026 214
63 x 2,0	82	100	709 026 217
63 x 1,5	41	100	709 026 415
75 x 6,8	11.0	100	709 026 220
75 x 4,3	17.6 / 17.0	100	709 026 223
75 x 1,9	41	100	709 026 227
90 x 8,2	11.0	120	709 026 230
90 x 5,2	17.6 / 17.0	120	709 026 233
90 x 2,8	82	120	709 026 236
90 x 2,2	41	120	709 026 238
110 x 10,0	11.0	120	709 026 242
110 x 6,3	17.6 / 17.0	120	709 026 245
110 x 3,4	33	120	709 026 248
110 x 2,7	41	120	709 026 250
125 x 11,4	11.0	120	709 026 254
125 x 7,2	17.6 / 17.0	120	709 026 257
140 x 12,7	11.0	140	709 026 266
140 x 8,0	17.6 / 17.0	140	709 026 269
160 x 14,6	11.0	140	709 026 278
160 x 9,1	17.6 / 17.0	140	709 026 281
160 x 4,9	82	140	709 026 284
160 x 4,0	41	140	709 026 286
180 x 16,4	11.0	140	709 026 290
180 x 10,7	17.0	140	709 026 408
180 x 10,3	17.6	140	709 026 293
200 x 18,2	11.0	160	709 026 302
200 x 11,9	17.0	160	709 026 409
200 x 11,4	17.6	160	709 026 305
200 x 6,1	33	160	709 026 308
200 x 4,9	41	160	709 026 310
225 x 20,5	11.0	160	709 026 314
225 x 13,4	17.0	160	709 026 410
225 x 12,8	17.6	160	709 026 317
250 x 22,8	11.0	160	709 026 326
250 x 14,8	17.0	160	709 026 411
250 x 14,3	17.6	160	709 026 329
250 x 7,6	82	160	709 026 332
250 x 6,1	41	160	709 026 334
280 x 25,5	11.0	160	709 026 338
280 x 16,6	17.0	160	709 026 340
280 x 16,0	17.6	160	709 026 341
315 x 28,7	11.0	160	709 026 350
315 x 18,7	17.0	160	709 026 413
315 x 17,9	17.6	160	709 026 353
315 x 9,6	33	160	709 026 356
315 x 7,7	41	160	709 026 358
355 x 32,3	11.0	160	709 026 362
355 x 21,1	17.0	160	709 026 414
355 x 20,2	17.6	160	709 026 365



Insert stiffener with wedge

Model:

- Suitable for PE and PVC pipes
- Stainless steel A2 quality (AISI 304), optional A4 quality (AISI 316)
- Other dimensions available on request

d x e [mm]	SDR	L [mm]	Code
63 x 3.6	17.6 / 17.0	175	709 026 012
63 x 5.8	11.0	175	709 026 016
63 x 8.7	7.5	175	709 026 018
75 x 4.3	17.6 / 17.0	175	709 026 022
75 x 6.9	11.0	175	709 026 026
90 x 5.1	17.6 / 17.0	175	709 026 032
90 x 8.2	11.0	175	709 026 036
90 x 12.5	7.5	175	709 026 038
110 x 6.3	17.6 / 17.0	175	709 026 042
110 x 10.0	11.0	175	709 026 046
110 x 15.2	7.5	175	709 026 048
125 x 7.1	17.6 / 17.0	175	709 026 052
125 x 11.4	11.0	175	709 026 056
140 x 8.0	17.6 / 17.0	175	709 026 062
140 x 12.8	11.0	175	709 026 066
160 x 4.8	33.0	200	709 026 070
160 x 9.1	17.6 / 17.0	200	709 026 072
160 x 14.6	11.0	200	709 026 076
180 x 10.2	17.6 / 17.0	200	709 026 082
180 x 16.4	11.0	200	709 026 086
200 x 11.4	17.6 / 17.0	200	709 026 092
200 x 18.2	11.0	200	709 026 096
225 x 12.8	17.6 / 17.0	225	709 026 102
225 x 20.5	11.0	225	709 026 106
250 x 14.2	17.6 / 17.0	225	709 026 115
250 x 22.8	11.0	225	709 026 116
280 x 16.6	17.6 / 17.0	225	709 026 127
280 x 25.5	11.0	225	709 026 126
315 x 17.9	17.6	225	709 026 125
315 x 28.7	11.0	225	709 026 124
355 x 10.8	33.0	225	709 026 132
355 x 20.1	17.6	225	709 026 129
355 x 32.3	11.0	225	709 026 128
370 x 35.0	11.0	225	709 026 133
400 x 15.4	26.0	225	709 026 140
400 x 22.7	17.6	225	709 026 139
400 x 36.4	11.0	225	709 026 138
450 x 25.5	17.6	225	709 026 149
450 x 41.0	11.0	225	709 026 148
500 x 28.3	17.6	225	709 026 159
500 x 45.5	11.0	225	709 026 158
560 x 31.7	17.6	225	709 026 169
560 x 51.0	11.0	225	709 026 168
630 x 35.7	17.6	225	709 026 179
630 x 57.3	11.0	225	709 026 178
710 x 40.2	17.6	225	709 026 189
710 x 64.5	11.0	225	709 026 188
800 x 45.3	17.6	225	709 026 199
800 x 72.7	11.0	225	709 026 198
900 x 51.2	17.6	225	709 026 183
900 x 81.8	11.0	225	709 026 182
1000 x 56.8	17.0	225	709 026 191
1000 x 90.9	11.0	225	709 026 192
1200 x 109.1	11.0	225	709 026 184
1400 x 79.6	17.6	225	709 026 187
1400 x 127.3	11.0	225	709 026 186
1600 x 90.9	17.6	225	709 026 196
1600 x 145.5	11.0	225	709 026 195

PF 1 54 323 065



Uni/Fleks® ring

Model:

- Consists of a segmented plastic ring and Varioseal® (gasket)
- NBR or EPDM gasket, NBR acc. to EN 682 (-5°C up to +50°C), EPDM acc. to EN 681-1 (0°C up to +50°C)
- non-restraint

DN [mm]	Range [mm]	NBR Code	EPDM Code
84	46 - 71	709 390 030	709 390 130
84	63 - 90	709 390 032	709 390 132
84	84 - 105	709 390 034	709 390 134
100	104 - 132	709 390 036	709 390 136
125	132 - 155	709 390 038	709 390 138
150	154 - 192	709 390 040	709 390 140
200	192 - 232	709 390 044	709 390 144
225	230 - 268	709 390 046	709 390 146
250	267 - 310	709 390 048	709 390 148
300	315 - 356	709 390 052	709 390 152

PF 1 54 323 063



Uni/Fiks® ring with Uni/Fiksers®

Model:

- Consists of a segmented plastic ring and Varioseal® (gasket) + Uni/Fiksers®
- NBR or EPDM gasket, NBR acc. to EN 682 (-5°C up to +50°C), EPDM acc. to EN 681-1 (0°C up to +50°C)
- Restraint on all pipe materials
- For AC and GRP pipes please contact us

DN [mm]	Range [mm]	NBR Code	EPDM Code
84	46 - 71	709 597 230	709 597 630
84	63 - 90	709 597 232	709 597 632
84	84 - 105	709 597 234	709 597 634
100	104 - 132	709 597 236	709 597 636
125	132 - 155	709 597 238	709 597 638
150	154 - 192	709 597 240	709 597 640
200	192 - 232	709 597 244	709 597 644
225	230 - 268	709 597 246	709 597 646
250	267 - 310	709 597 248	709 597 648
300	315 - 356	709 597 252	709 597 652

PF 1 54 323 063



Multi/Fikser® set MULTI/JOINT® 3000

Model:

- For each MULTI/JOINT® 3000 socket, 1 set is needed
- Stainless steel A4 quality (AISI 316) Fiksers®
- Including sticker for correct marking

DN [mm]	Range [mm]	Fiksers (qty)	Code
85	46 - 71	4	709 597 350
65	69 - 90	4	709 597 352
85	84 - 105	4	709 597 354
100	104 - 132	4	709 597 356
125	132 - 155	4	709 597 358
150	154 - 192	6	709 597 360
200	192 - 232	6	709 597 364
225	232 - 257	7	709 597 366
250	267 - 310	8	709 597 368
300	315 - 356	8	709 597 372

PF 1 54 323 063



Poly/Fikser® set MULTI/JOINT® 3000

Model:

- For each MULTI/JOINT® 3000 socket, 1 set is needed
- Stainless steel A4 quality (AISI 316) Fiksers®
- Including sticker for correct marking
- DN50 and DN65: use Multi/Fikser® set

DN [mm]	Range [mm]	Fiksers (qty)	Code
85	84 - 105	5	709 599 354
100	104 - 132	7	709 599 356
125	132 - 155	6	709 599 358
150	154 - 192	7	709 599 360
200	192 - 232	9	709 599 364
225	230 - 267	9	709 599 366
250	267 - 310	10	709 599 368
300	315 - 356	10	709 599 372

PF 1 54 323 063



Uni/Fikser® set MULTI/JOINT® 3000 Plus

Model:

- For each MULTI/JOINT® 3000 Plus socket, 1 set is needed
- Stainless steel A4 quality (AISI 316) Fiksers®

DN [mm]	Range [mm]	Fiksers (qty)	Code
85	46 - 71	16	709 597 258
85	63 - 90	19	709 597 259
85	84 - 105	22	709 597 260
100	104 - 132	15	709 597 261
125	132 - 155	18	709 597 262
150	154 - 192	40	709 597 263
200	192 - 232	48	709 597 264
225	230 - 267	45	709 597 266
250	267 - 310	85	709 597 268
300	315 - 356	60	709 597 272

PF 1 54 323 063



Bolts set MULTI/JOINT® 3000 / 3000 Plus - A2 quality

Model:

- Stainless steel A2 quality (AISI 304) bolts, nuts and washers
- Set consisting of bolts, nuts and washers
- For each MULTI/JOINT® 3000 socket, 1 set is needed

DN [mm]	DN-DN [mm]	DN-DN-DN [mm]	M	Code
100	-	50 - 65 - 80	3xM12	700 618 940
		-	3xM16	700 618 942
200	125 - 150	-	4xM16	700 618 944
		-	6xM16	700 618 946
300	225 - 250	-	6xM20	700 618 948
		-	8xM20	700 618 950

PF 1 54 323 063



Bolts set MULTI/JOINT® 3000 / 3000 Plus - A4 quality

Model:

- Stainless steel A4 quality (AISI 316) bolts, nuts and washers
- Set consisting of bolts, nuts and washers
- For each MULTI/JOINT® 3000 socket, 1 set is needed

DN [mm]	DN-DN [mm]	DN-DN-DN [mm]	M	Code
100	-	50 - 65 - 80	3xM12	700 618 910
		-	3xM16	700 618 912
200	125 - 150	-	4xM16	700 618 914
		-	6xM16	700 618 918
300	225 - 250	-	6xM20	700 618 916
		-	8xM20	700 618 920

PF 1 54 323 063



Bolts set MULTI/JOINT® XL - A2

Model:

- Stainless steel A2 quality (AISI 304) bolts, nuts and washers
- Set consisting of bolts, nuts and washers
- For each MULTI/JOINT® 3000 socket, 1 set is needed

DN-DN [mm]	M	A2 quality Code
300 - 350	8xM16	700 618 970
400 - 450	10xM16	700 618 972
500 - 550	10xM20	700 618 974
600 -	12xM20	700 618 976

PF 1 54 323 063



Rubber gasket for MULTI/JOINT® XL

Model:

- NBR or EPDM gasket, NBR acc. to EN 682 (-5°C up to +50°C), EPDM acc. to EN 681-1 (0°C up to +50°C)

DN [mm]	Range [mm]	NBR Code	EPDM Code
300	315 - 337	700 610 830	700 610 850
350	356 - 380	700 610 832	700 610 852
400	400 - 429	700 610 834	700 610 854
450	450 - 482	700 610 836	700 610 856
500	500 - 532	700 610 838	700 610 858
550	548 - 580	700 610 840	700 610 860
600	605 - 637	700 610 842	700 610 862

PF 1 54 323 062



RESICOAT® repair set

Model:

- To repair the coating of the fitting

Contents	Code
30cc	709 900 000

PF 1 54 329 012



Molykote Copper paste (CU-7439)

Model:

- To be used in case of re-using bolts
- To lubricate the thread of the stainless steel bolts

Contents	Code
100 g	709 900 001

PF 1 54 329 012



Torque key wrench set

Model:

- 1 torque key 20-200 Nm
- 4 wrench keys sizes: 19, 22, 24 and 30
- 4 ring spanners sizes: 19, 22, 24 and 30
- robust metal case

description	Code
basic set	200 008 083

PF 1 54 329 012



Adaptor set

Model:

- 1 ratchet key 20-200 Nm
- 3 adaptors sizes: 19, 24 and 30
- compatible with the torque key set

description	Code
adaptor set + ratchet key	200 008 084

PF 1 54 329 012



Ratchet spanner

Model:

- For easy nut tightening
- M12 for MULTI/JOINT® DN50, DN65 and DN80
- M16 for MULTI/JOINT® DN100, DN125 and DN150

Description	Code	
17x19 mm / M12	700 619 010	
22x24 mm / M16	700 619 012	

PF 1 54 329 012



Wrench key / c.w. Ratchet

Model:

- the wrench keys are available in 4 different sizes

description	Code	
wrench key 19 mm	200 008 070	
wrench key 22 mm	200 008 071	
wrench key 24 mm	200 008 072	
wrench key 30 mm	200 008 073	

PF 1 54 329 012